



TECH TO BOWES

Interchange Information for Tire Repair, Tools and Chemicals

*The interchange information listed below is for reference purposes.
For specific application requirements, as well as, additional comparative information,
please call the **Bowes Customer Service** line at **(317) 549-1723**.

Tech #	Tech Description	Bowes#
220	Permacure II Repairs 3 3/4"	*TR15025
249W	Uni-Seal Plus with wire 1/16" Injury	*TR15049
250-1	Uni-Seal Stem, 1/8" Injury	*TR15055
250UL	Uni-Seal Ultra with wire 1/8" Injury	*TR15050
251-1	Uni-Seal Stem 1/4" Injury	*TR15056
251-38-1	Uni-Seal Stem 3/8" Injury	*TR15057
251UL	Uni-Seal Ultra with wire 1/4" Injury	*TR15051
270	Carbide Cutter for 250UL	TT38884
271/38	Carbide Cutter for 251/38-1 Stem	TT14348
272	Carbide Cutter for 292	TT14349
659VHP	Light Truck Preassure Gauge	TG37707
662VHP	Truck Preassure Gauge	TG37709
704	RUB-O-MATIC	TC22041
706	Tire Talc	TC14550
717	Whitewall Cleaner	CW22067
720	Tire Mounting Lubricant 1 Gallon	TC37532
722	Tire & Tube Mounting Compound 8 lb.	TC22184
723	Tire & Tube Mounting Compound 25 lb.	TC37533
729	Hand Soap Pump	HC61661
730	Medicated Hand Cleaner	HC77919
732	Pumice Hand Cleaner	HC77920
735	Bead Sealer 1 Quart	TC22192
738	Security Coat 16 oz.	TC22154
760	Chemical Vulcanizing Fluid 8 oz. With Brush	TC22187
900	Insert Tool 3"	TT38015
910	Cement Tool	TT14238
915	Spiral Cement Tool	TT38013
919	Awl	TT38012
921	Passenger Replacement Needle	TT38016
925	Permacure Passenger Tool	TT38011
926	Permacure Passenger Replacement Needle	TT14307R
927	Truck Replacement Needle	TT14307TR
936	Wood Handle Sticher 1 1/2"	TT37561
940	Skiving Knife - Tapered Point	TT14306
941	Skiving Knife - Narrow Blade	TT37552
942	Skiving Knife - Straight Blade	TT38701
948Y	Markall Yellow	TT37554
951	White Crayon	TT37589
964	Cotton Swab 15"	TT14378L
965	Cotton Swab 11"	TT14378L
S-1011	2 1/2" Round Buffing Tool	TT37320
S-1011-1	Two 2 1/2" Round Buffing Tools	TT14339

INTERCHANGE



TECH TO BOWES PATCH INTERCHANGE

*The interchange information listed below is for reference purposes.

For specific application requirements, as well as, additional comparative information,
please call the **Bowes Customer Service** line at **(317) 549-1723**.

Tech#	Size	Bowes #	Size	Tech#	Size	Bowes #	Size
9	1"	*TR11-032	1 1/4"	390	13 3/8"	*TR15954	13x13"
10	1 3/8"	*TR11-038	1 1/2"	391	15 15/16"	*TR15955	15x15"
11	1 3/4"	*TR14081	1 11/16"	392	17 1/4"	*TR15956	17x17"
11T	1 3/4"	*TR14081	1 11/16"	393	19 15/16"	*TR15957	19x19"
12	2 1/4"	TR14082	2 1/4"	394	21 1/4"	*TR15958	21x21"
12T	2 1/4"	TR14082	2 1/4"	395	23 1/4"	*TR15959	23x23"
13	3 1/8"	TR14083	3 1/8"	396	23 3/4"	*TR159510	25x25"
13T	3 1/8"	TR14080	3 1/8"	397	25 3/4"	*TR159510	25x25"
14	4"	*TR14088	5"	386U	6 1/4"	*TR15950U	4x4"
17	2 1/2x1 1/2"	*TR14085	2 7/16x1 7/16"	387U	7 1/4"	*TR15951U	6x6"
17T	2 1/2x1 1/2"	*TR14085	2 7/16x1 7/16"	388U	8 1/4"	*TR15952U	8x8"
18	4x2"	*TR14086	3 7/8x1 7/8"	389U	10 1/4"	*TR15953U	10x10"
19	6x2 3/4"	*TR14087	5 7/8x2 5/8"	390U	12 1/4"	*TR15954U	12x12"
21	9 1/2x2 1/4"	*TR15024	9"	391U	14 1/4"	*TR15955U	14x14"
111	2 1/2"	*TR11-311	2 3/8"	392U	16 1/4"	*TR15956U	16x16"
113	3"	*TR14808	2 3/4"	393U	18 1/4"	*TR15957U	18x18"
115	1 3/4"	*TR11309	1 1/2"	394U	20 1/4"	*TR15958U	20x20"
116	2 1/4"	*TR14807	2 1/4"	395U	22 1/4"	*TR15959U	22x22"
164	2 1/2x3 1/4"	*TR14102	1 3/4x3"	396U	23 1/4"	*TR159510U	24x24"
165	1 3/4x3"	*TR11808	1 3/4x3"	397U	24 1/4"	*TR159510U	24x24"
166	2 3/4x4 5/8"	*TR15034	2 1/4x4"	600	2 1/4"	TR11386	2 1/4"
167	2 3/8x3 3/8"	*TR14103	2 3/8x4"	601	3"	TR11387	3"
169	2 7/8x5 3/4"	*TR15036	2 7/8x5"	602	3 5/8"	TR11388	3 5/8"
170	5x3"	*TR14105	2 7/8x5"	603	4x4	*TR15012	4.25"
172	6 1/2x3"	*TR15037	3x6"	604	5 5/16x5 5/16"	*TR15013	5.375"
174	8 1/2x3"	TR15038	3x8 1/4"	605	6 1/2x6 1/2"	*TR15014	6.625"
177	4x5"	*TR14125	4 1/2x 4 7/8"	606	9 9/16x9 9/16"	*TR15017	9.5"
179	5x6 3/4"	*TR14135	5 1/3x7 1/4"	607	11 5/8x11 5/8"	*TR15018	11.75"
180	4x8"	*TR15039	4x7"	608	13 5/8"	*TR15118	13.5"
182	5x10"	TR15040	5x10"	609	15 1/8x15 1/8"	*TR15119	15.25
184	5x13"	TR15041	5x13"	610	17 1/8x17 1/8"	*TR15120	17.25"
196	6X7 3/4"	TR11880	6X7 3/4"	620	8"	TR14211	8"
197	7 1/2X10"	TR11882	7 1/2X10"	621	9"	TR14212	9"
198	8 1/2X11 1/2"	TR11884	8 1/2"X11 1/2"	622	11"	TR14213	11"
199	9 3/4X13 1/2"	TR11886	9 3/4X13 1/2"	623	15"	TR11463	15"
386	7 5/16"	*TR15950	5x5"	624	9"	TR11464	9"
387	8 1/8"	*TR15951	7x7"	625	11x11	TR11465	11"
388	9 3/8"	*TR15952	9x9"	626	15x15	TR11466	15"
389	11 1/4"	*TR15953	11x11"	627	19 1/2"	TR11467	19 1/2"

INTERCHANGE



REMA TO BOWES

Interchange Information for Tire Valves, Tools and Chemicals

*The interchange information listed below is for reference purposes.

For specific application requirements, as well as, additional comparative information, please call the **Bowes Customer Service** line at **(317) 549-1723**.

Rema#	Rema Description	Bowes#
960	32 OZ. BEAD SEALER	TC 22192
1175A	4 1/2" LONG BRIDGE WASHER SCREW ON BRASS VALVE	TV 17522
1177A	3 3/4" LONG BRIDGE WASHER SCREW ON BRASS VALVE	TV 17520
1178A	5" LONG BRIDGE WASHER SCREW ON BRASS VALVE	TV 17521
1507	18" DUAL HEAD IN-LINE TIRE INFLATOR 0-120 LBS.	TG 37673
3001	TRC2 .302" LARGE BORE VLAVE CORE LONG	TV 17840
3002	TRC2S LARGE CORE VALVE CORE SHORT	TV 17850
3005	TRVC7 HEX HEAD LARGE BORE VALVE CAP	TT 17860
3020	TRSP2 LARGE BORE STUD FOR TUBELESS TIRES	TV 17662
3025	TRJ650 LONG LARGE BORE - 80 DEGREE SINGLE BEND SWIVEL VALVE	TV17650
3026	TRJ651 4 11/16" LONG LARGE BORE - 90 DEGREE SINGLE BEND SWIVEL VALVE	TV 17651
3030	TRJ4000 7 1/2" LONG LARGE BORE - 90 DEGREE SINGLE BEND SWIVEL VALVE	TV 17645-6
3031	TRJ4000 9" LONG LARGE BORE - 90 DEGREE SINGLE BEND SWIVEL VALVE	TV 17645-9
3032	TRJ4000 29 1/2" LONG LARGE BORE - 90 DEGREE SINGLE BEND SWIVEL VALVE	TV 17645-24
3034	TRJ4000 4 1/2" LONG LARGE BORE - 90 DEGREE SINGLE BEND SWIVEL VALVE	TV 17645-4.5
3035	TRL670 STRAIGHT TUBELESS - NON-SWIVEL VALVE	TV 17670
3036	TRJ1014 1 29/32" LONG LARGE BORE LOW PROFILE VALVE	TV 17626
3038	TRJ1175C 4 1/16" LONG LARGE BORE LOW PROFILE VALVE	TV 17635
3050	1 3/4" CENTER POST SIZE - RADIAL TIRE SPREADER	TT 37368
6003	1/4" RADIAL HAND RASP FOR CAR TIES	TT 15022
6006	2X2" BALL BEARING STICHER	TT 37561
6007	SKIVING KNIFE - FLEXIBLE ROUND POINT BLADE	TT 38701
6008	SKIVING KNIFE - TAPERED POINT	TT 14306
6017	SKIVING KNIFE - NARROW 6" BLADE	TT 37552
6018	SKIVING KNIFE - STRAIGHT 6" BLADE	TT 14305
6203	2X3/16" SLOTTED FINISHING RASP - 36 GRIT	TT 14383A
6204	2X3/16" SLOTTED FINISHING RASP - 16 GRIT	TT 14383
6205	2X3/8" SLOTTED FINISHING RASP- 36 GRIT	TT 14384A
6206	2X3/8" SLOTTED FINISHING RASP- 16 GRIT	TT 14384
6207	2X1/2" SLOTTED FINISHING RASP- 36 GRIT	TT 14385A
6208	2X1/2" SLOTTED FINISHING RASP- 16 GRIT	TT 14385
6209	2 3/4" SLOTTED FINISHING RASP - 36 GRIT	TT 14386A
6210	2X3/4" SLOTTED FINISHING RASP - 16 GRIT	TT 1438A
6211	2X1" CONE RASP - 36 GRIT	TT 14393A
6212	2X1" CONE RASP - 16 GRIT	TT 14393
6213	4X3/4" CONE RASP - 36 GRIT	TT 14394A
6214	4X3/4" CONE RASP - 16 GRIT	TT 14394
6217	1/4X2 1/2" PENCIL RASP - 36 GRIT	TT 14390A
6218	1/4X2 1/2" PENCIL RASP - 16 GRIT	TT 14390
6314	3X1 1/2" VENTED CONTOUR CUP RASP - 36 GRIT - 3/8" ARBOR	TT 14397A
6315	3X1 1/2" VENTED CONTOUR CUP RASP - 16 GRIT - 3/8" ARBOR	TT 14397
6317	3X1 1/2" VENTED CONTOUR CUP RASP - 16 GRIT - 1/2" ARBOR	TT 14398
6491QR	LOW SPEED BUFFER - QUICK RELEASE CHUCK - 2500 RPM	TT 14319LS
6491C	LOW SPEED BUFFER - JACOB'S CHUCK - 2500 RPM	TT 14319LSL
6490	HIGH SPEED BUFFER - JACOB'S CHUCK - 22,000 RPM	TT 14325

INTERCHANGE



REMA TO BOWES

Interchange Information for Tire Valves, Tools and Chemicals

*The interchange information listed below is for reference purposes.

For specific application requirements, as well as, additional comparative information, please call the **Bowes Customer Service** line at **(317) 549-1723**.

Rema#	Rema Description	Bowes#
414	1 1/2" LONG SNAP-IN VALVE-.453" RIM HOLE	TV 17414
415	1 1/4" LONG SNAP-IN VALVE-.625" RIM HOLE	TV 17415
418	2" LONG SNAP-IN VALVE-.453" RIM HOLE	TV 17418
423	2 1/2" LONG SNAP-IN VALVE-.453" RIM HOLE	TV 17423
425	2" LONG SNAP-IN VALVE-.625" RIM HOLE	TV 17425
436	OVAL BASE CLAMP-IN	TV 17501OV
438	AGRICULTURAL/OTR CLAMP-IN VALVE 618-A	TV 37690
439	TORNADO/ELDORADO CLAMP-IN VALVE	TV 17417
440	1 7/16" LONG CUSTOM WHEEL CLAMP-IN VALVE	TV 17416
441	2" LONG CUSTOM WHEEL CLAMP-IN VALVE	TV 17560L
442	2 5/32" LONG CLAMP-IN BRASS VALVE	TV 17500T
444	1 21/32" LONG CLAMP-IN BRASS VALVE	TV 17501T
445	3 9/32" LONG CLAMP-IN BRASS VALVE	TV 17570T
446	3 17/32" LONG CLAMP-IN BRASS VALVE	TV 17571T
447	3 29/32" LONG CLAMP-IN BRASS VALVE	TV 17572T
448	4 17/32" LONG CLAMP-IN BRASS VALVE	TV 17573T
450	5" LONG CLAMP-IN BRASS VALVE	TV 17574T
452	REPLACEMENT RUBBER GROMMETS - RG 15 FOR 570 SERIES	TV 17577
453	REPLACEMENT RUBBER GROMMETS - RG 46 FOR 509 SERIES	TV 17578
481	4 3/4" LONG ALUMINUM WHEEL VALVE	TV 17509
482	5 1/2" LONG ALUMINUM WHEEL VALVE	TV 17510
483	4 1/4" LONG ALUMINUM WHEEL VALVE	TV 17511
490	59 MM CLAMP-IN VALVE	TV 17543
491	60 MM CLAMP-IN VALVE WITH 60 DEGREE BEND	TV 17543D
492	60 MM CLAMP-IN VALVE WITH 75 DEGREE BEND	TV 17543E
493	73 MM CLAMP-IN VALVE	TV 17544
494	90 MM CLAMP-IN VALVE	TV 17545
495	91 MM CLAMP-IN VALVE WITH 60 DEGREE BEND	TV 17545D
497	75 MM CLAMP-IN VALVE WITH 60 DEGREE BEND	TV 17544D
525	PISTOL GRIP INSERTION TOOL FOR PASSENGER/LIGHT TRUCK	TT 37561
744	A15 PENCIL GRINDING STONE, 60 GRIT	TT 87557
745	A 36 FLAT HEAD GRINDING STONE	TT 37559
746	CONICAL GRINDING STONE 60 GRIT	TT 37553
765	BALL CHUCK 1/4" FEMALE FITTING	TG 37714
766	BALL CHUCK CLIP ON TYPE	TG 37689
767	SCREW IN AIR CHUCK CLIP	TG 37691
771	LOCK ON DUAL HEAD CHUCK	TG 176568
772	PRESS ON DUAL HEAD CHUCK	TG 37708
773	GRIP ON LOCK TYPE CHUCK	TG 37595
774	LEVER TYPE BLOW GUN	TG 17907
788	TWO-2 1/2" DIAMETER TUNGSTEN CARBIDE ROUND NOSE BUFFING WHEELS	TT 14339
795	AIR VACUUM WET OR DRY WITH BAG	TT 14399
816	25' REINFORCED AIR HOSE WITH 1/4" MALE ENDS	AH 37094
818	50' REINFORCED AIR HOSE WITH 1/4" MALE ENDS	AH 37095
890	25' REINFORCED AIR HOSE WITH 3/8" MALE ENDS	AH 37096
891	50' REINFORCED AIR HOSE WITH 1/4" MALE ENDS	AH 37097
950	MATTOCK-TYPE HAMMER HANDLE 30"	TT 38872
951	MATTOCK-TYPE HAMMER HANDLE 17"	TT 38871
952	WEDGE TYPE HAMMER HANDLE 17"	KT 14-T11CH



REMA TO BOWES

Interchange Information for Tire Valves, Tools and Chemicals

*The interchange information listed below is for reference purposes.

For specific application requirements, as well as, additional comparative information, please call the **Bowes Customer Service** line at **(317) 549-1723**.

Rema#	Rema Description	Bowes#
BL 8	8 OZ. SPECIAL CEMENT	TC 15123
9	5/8" RIM HOLE TUBE VALVE	TV 37721
9\14	.453" RIM HOLE TUBE VALVE	TV 37724
9T-LB	OTR TUBE VALVE	TV 37747
LN-10-P	PLASTIC RIM NUT	TV 37666
OR-20-JM	20" HIGHWAY USE O RING JM	TT 16120JM
OR-22-JM	22" HIGHWAY USE O RING JM	TT 16-123JM
OR-24-JM	24" HIGHWAY USE O RING JM	TT 16-124JM
OR-25-T	25" SMALL EARTHMOVER O RING	TT 16-125T
OR-88-TX	24" GRADER USE O RING	TT 161224TG
OR-220-TG	20" GRADER USE O RING	TT 161220TG
28	RUBBER SCRAPPER	TT 38702
31	HAND BUFFER	TT 37551
33	1/4" DRILL ARBOUR	TT 14-324
34	2 1/2" ROUND BUFFING TOOL FINE GRIT	TT 37320
35	SHORT VALVE CORE C1	TV 37460
35 HT	SHORT HEAT RESISTANT VALVE CORE	TV 37696
36	LONG VALVE CORES	TV 17-490L
37	FORK-TYPE STANDARD METAL CAP	TV 37462
38	DOME-TYPE STANDARD METAL CAP	TV 17-491E
39	DOME-TYPE STANDARD PLASTIC CAP	TV 37035
42	SKIRTED DOME-TYPE METAL CAP	TV 37464
62	YELLOW CRAYON	TT 37590
62W	WHITE CRAYON	TT 37589
63	1 LB. TIRE TALC	TC 14550
65	MARKALL YELLOW	TT 37554
71	32 OZ. BUFFING CLEANER	TC 22041
74	UNI MOUNTING PASTE 22 LBS.	TC 37533
75	UNI MOUNTING PASTE 7 LBS.	TC 37532
180	LIGHT TRUCK PRESSURE GAUGE 5-50 LBS.	TG 37707
181	TRUCK PRESSURE GAUGE 20-120 LBS.	TG 37709
182	AGRICULTURAL PRESSURE GAUGE 5-50 LBS.	TG 37713
183	DUAL HEAD TRUCK PRESSURE GAUGE 10-120 LBS.	TG 37746
184	DUAL HEAD RV PRESSURE GAUGE 20-120 LBS.	TG 37705
185	TREAD DEPTH GAUGE	TG17607
190	AWL	TT 38012
203	8 OZ. COLD VULCANIC FLUID	TC 22187
204	32 OZ. COLD VULCANIC FLUID	TC 22188
218	CORE HOUSING FOR STANDARD VALVE 9T	TV 37736
218L	CORE HOUSING FOR FAST FLOW VALVE	TV 37749
403	3 1/8" LONG TRUCK/BUS VALVE EXTENSION	TV 17581
404	4 1/8" LONG TRUCK/BUS VALVE EXTENSION	TV 17582
405	5 1/4" LONG TRUCK/BUS VALVE EXTENSION	TV 17583
407	1 1/2" PLASTIC VALVE EXTENSION	TV 17498
408	3/4" PLASTIC VALVE EXTENSION	TV 17496
409	1 1/4" PLASTIC VALVE EXTENSION	TV 17497
410	3/4" MEATAL VALVE EXTENSION	TV 17496B
411	1 1/4" METAL VALVE EXTENSION	TV 17497B
413	1 1/4" LONG SNAP-IN VALVE-.453" RIM HOLE	TV 17413

INTERCHANGE



REMA TO BOWES PATCH INTERCHANGE

*The interchange information listed below is for reference purposes.
For specific application requirements, as well as, additional comparative information,
please call the **Bowes Customer Service** line at **(317) 549-1723**.

Rema#	Size	Bowes #	Size	Rema#	Size	Bowes #	Size
0	1 1/4"	11-032	1 1/4"	RAD144	13x5"	TR15041	5x13"
1	1 1/2"	11-038	1 1/2"	RAD225	4 1/2x4 7/8"	TR14125	4 1/2x4 7/8"
2	1 3/4"	TR14081*	1 11/16"	RAD235	5 1/4x7 1/4"	TR14135*	5 1/3xx7 1/4"
3	2"	TR14802*	2 1/4"	RAD533	4 3/8x8"	TR14108*	4x7"
4	3"	TR14083*	3 1/8"	RAD535	4 3/8x10"	TR14110*	5x10"
5	3 3/4"	TR14080*	3 1/8"	PN1	2 1/2"	TR15489r*	3"
6	4"	TR14088	4"	PN2	3 1/4"	TR15490r	3 1/2"
7	3x1 1/2"	TR14085*	2 7/16x1 7/16"	PN3	4"	TR15491r*	4 1/2"
7A	4x1"	TR14086*	3 7/8x1 7/8"	PN4	5 3/4"	TR15493r*	7"
7B	6x2"	TR14087*	5 7/8x2 5/8"	PN5	6 1/2"	TR15493r*	7"
8	9x2 1/4"	TR15024*	9"	PN6	9 1/4"	TR15496r*	10"
B-2	1 3/4"	TR14081*	1 11/16"	PN7	11 3/4"	TR15497r*	12"
B-3	2"	TR14802*	2 1/4"	PN9	15 1/2"	TR15498r*	15"
B-7	3x1 1/2"	TR14083*	3 1/8"	PN10	17 3/4"	TR15499r*	20"
B-7A	4x1"	TR14088*	4"	PN 20T	10"	TR15480	10"
B-7B	6x2"	TR14087*	5 7/8x2 5/8"	PN 21 T	14 1/2"	TR15481	14"
B-7D	9x4 3/4"	TR15024*	9"	PN 22 T	20"	TR15482	20"
B-8	9x2 1/4"	TR15024*	9"	PN 23T	10"	TR15483	10"
RAD-00	1 3/16"	TR 14307*	1 1/2"	PN 24T	14 1/2"	TR15484	14 1/2"
RAD-0	1 9/16"	TR 14807*	2 1/4"	PN 25T	20"	TR15485	20"
RAD-1	1 5/8x2 3/4"	TR 14310*	2 3/8"	UP3	1 1/4"	TR 14307*	1 1/2"
RAD110	2x2 3/4"	TR14102*	1 3/4x3"	UP6	2 1/4"	TR 14807	2 1/4"
RAD112	2 3/8x4 1/4"	TR14103*	2 3/8x4"	UP8	2 1/2"	TR 14310*	2 3/8"
RAD114	3x4 1/8"	TR14104*	2 3/4x4"	UP6P	2 1/4"	TR 15121*	2 3/8"
RAD120	4 7/8x3"	TR14105*	2 7/8x5"	UP8P	2 1/2"	TR 15122*	2 3/4"
RAD122	6 7/8x3"	TR14106*	3x6"	RXU 6-4	6X6"	TR 15951u	6X6"
RAD124	8 1/2x3"	TR14107*	3x8 1/4"	RXU 7-4	7X7"	TR 15951	7X7"
RAD125	4 1/2x4 7/8"	TR14125	4 1/2x 4 7/8"	RXU 8-6	8X8"	TR 15952u	8X8"
RAD135	5 1/4x7 1/4"	TR14135*	5 1/3X7 1/4"	RXU 9-8	9X9"	TR 15952	9x9"
RAD140	7 7/8x3 15/16"	TR14108*	4x7"	RXU 10-6	10X10"	TR 15953u	10X10"
RAD142	10 1/4x5"	TR14109*	5x10"	RXU 11-8	11X11"	TR 15953	11x11"
RAD144	13x5"	TR14110	5x13"	RXU 12-8	12X12"	TR 15954u	12x12"
RAD110	2x2 3/4"	TR15033*	2 1/4x3"	RXU 12-12	12X12"	TR 15954*	13x13"
RAD112	2 3/8x4 1/4"	TR15034*	2 1/4x4"	RXU14-8	14X14"	TR 15955u	14x14"
RAD114	3x4 1/8"	TR15035*	3 3/4x4"	RXU 14-12	14X14"	TR 15955*	15x15"
RAD120	4 7/8x3"	TR15036*	3x5"	RXU 16-10	16X16"	TR 15956u	16x16"
RAD122	6 7/8x3"	TR15037*	3x6"	RXU 16-12	16X16"	TR 15956*	17x17"
RAD124	8 1/2x3"	TR15038	3x8 1/2"	RXU 18-14	18X18"	TR 15957u	18x18"
RAD125	4 1/2x4 7/8"	TR14125	4 1/2x 4 7/8"	RXU 19-16	19X19"	TR 15957	19x19"
RAD135	5 1/4x7 1/4"	TR14135*	5 1/3X7 1/4"	RXU 20-12	20X20"	TR 15958u	20x20"
RAD140	7 7/8x3 15/16"	TR15039*	4x7 1/2"	RXU 20-20	20X20"	TR 15958*	21x21"
RAD142	10 1/4x5"	TR15040*	5x10"	RXU 22-20	22X22"	TR 15959*	23x23"
				RXU 24-14	24X24"	TR 159510*	25x25"

INTERCHANGE



PATCH RUBBER TO BOWES PATCH INTERCHANGE

*The interchange information listed below is for reference purposes.
For specific application requirements, as well as, additional comparative information,
please call the **Bowes Customer Service** line at **(317) 549-1723**.

Patch #	Size		Bowes #	Size
12-000	1 1/8"		*TR14077	1 1/4"
12-002	2"		*TR14078	1 3/4"
12-003	2 1/4"		*TR14078	1 3/4"
12-016	3"		*TR14079	2 3/16"
12-018	3 5/8"		*TR14080	3 1/8"
12-022	2 3/8"		*TR14201	3"
12-023	3 1/4"		*TR15012	4 1/4"
12-024	4 5/8"		*TR15013	5 3/4"
12-040	1 1/8"		*TR14077	1 1/4"
12-042	2"		*TR14078	1 3/4"
12-043	2 1/4"		*TR14078	1 3/4"
12-044	3"		*TR14079	2 3/16"
12-089	3 1/2x10"		*TR15038	3x8 1/2"
12-090	3x5"		*TR15036	2 7/8x5"
12-091	3x6"		TR15037	3x6"
12-092	3x8"		TR15038	3x8"
12-093	4x8"		*TR15039	4x7 1/2"
12-094	5x10"		TR15040	5x10"
12-095	5x13"		TR15041	5x13"
12-117	2x3"		*TR15033	1 7/8x3"
12-118	3x4"		*TR15034	2 1/4x4"
12-119	3x5"		*TR15035	3 1/2x3 3/4"
12-142	3"		*TR15012	4 1/4"
12-146	5"		*TR15013	5 3/4"
12-148	6"		*TR15014	6.625"
12-151	10"		*TR15017	9 1/2"
12-153	13"		*TR15018	11 3/4"
12-154	16"		*TR15119	15 1/4"
12-155	9"		*TR15017	9 1/2"
12-156	12"		*TR15018	11 3/4"
12-157	15"		*TR15119	15 1/4"
12-158	16"		*TR15120	17 1/4"
14-201	1 5/8"		*TR14081	1 11/16"
14-202	2 3/16"		*TR14082	2 1/4"
14-203	3"		*TR14083	3 1/8"
14-204	1 3/8x2 1/4"		*TR14085	1 7/16x2 7/16"
14-205	2x4"		*TR14086	1 7/8x3 7/8"
14-209	2 1/8"		TR14043	2 1/8"
14-210	2 5/8"		*TR14044	3"
15-251	4x5"		TR15003	4x5"
15-252	5 1/2x8"		TR15004	5 1/2x8"
15-253	7x10"		TR15005	7x10"
15-524	9x12"		TR15006	9x12"
15-255	10x14"		TR15007	10x14"

INTERCHANGE



MYERS TO BOWES

Interchange Information for Tire Repair, Tools and Chemicals

*The interchange information listed below is for reference purposes.
For specific application requirements, as well as, additional comparative information,
please call the **Bowes Customer Service** line at **(317) 549-1723**.

Myers#	Myers Description	Bowes#
14-030	Pilot Wire Patch Plugs 1/8" Stem - 2" Patch	*TR15049
14-031	Pilot Wire Patch Plugs 1/4" Stem - 2" Patch	*TR15050
14-032	Pilot Wire Patch Plugs 3/8" Stem - 2" patch	*TR15051
14-518	Flat Insert TRK 105 1/4x2 3/8"	*TR15032
14-521	Flat Insert TRK 105 1/4x2 3/8"	*TR15032
14-532	Round Insert R2 1/4x2" Round	*TR37490
14-533	Oval Insert O2 3/8x2" Oval	*TR37491
14-534	Round Insert R8 1/4x8" Round	*TR15023
14-556	Passenger Bow Tie Dual Cure 3/8x23/8"	*TR15032
14-569	Plug Stems Dual Cure 1/4"	*TR15055
14-570	Plug Stems Dual Cure 3/8"	*TR15056
14-572	Plug Stems Dual Cure 5/8"	*TR15057
15-111	Closed Eye Insert Tool	TT37531
15-066	Passenger T Handle Split Eye Needle	TT38017
15-115	Spiral Cement Tool	TT38013
15-158	Black String	TR37498
16-118	Bead Sealer	TC22192
16-170	Repair Sealer	TC22154
16-450	Fast-Dry Cement	TC22188
16-471	Cleaner Fluid	TC22041
26-188	Combination Valve Core Tool	TT15047
42-489	Lightweight Tube & Inner Liner Cup Rasp 2 1/2"	TT37320
42-500	Flexible Skiving Knife	TT38701
42-611	Ball Bearing Sticher K 19	TT37561
45-000	White Wall Tire Cleaner	CW22067
45-100	Yellow Tire Marking Crayon	TT14552XS
45-102	White Tire Marking Crayon	TT14553XS
45-131	Yellow Markal Paintstick	TT14551XS
46-508	Myers Tire Lube 4 1/2 lb. Can	TC37532E
46-509	Myers Tire Lube 25 lb. Pail	TC37725E
46-617	Tire Leak Detector	TC37504
46-634	Murphy's Tire and Tube Compound 8 lb.	TC37532
46-636	Murphy's Tire and Tube Compound 25 lb.	TC37533
46-657	Passenger Lube Swab	TT14-378
47-006	Awl	TT38012
54-838	Low Pressure Passenger Gauge	TG17910
54-860	High Pressure Truck Gauge	TG171045B



BOWES TO INDUSTRY MANUFACTURERS

Interchange Information for Couplers & Nipples

*The interchange information listed below is for reference purposes.
 For specific application requirements, as well as, additional comparative information,
 please call the **Bowes Customer Service** line at **(317) 549-1723**.

BOWES #	AMFLO #	ARO #	LINCOLN #	MILTON #	PARKER #	31 INC. #
QC 39001	CP37	2608	-	777	A2C	17-221
QC 39002	CP37-03	22236	-	-	A2CE	17-227
QC 39003	-	22239	-	-	-	17-228
QC 39004	CP35	3804	-	-	-	17-229
QC 39005	CP38	2609	-	778	A3C	17-231
QC 39006	CP38-23	22237	-	-	A3CE	17-237
QC 39007	CP36	3806	-	-	-	17-239
QC 39008	C38	210	-	775	B53	17-342
QC 39009	C38-23	210-203	-	-	B53E	17-343
QC 39010	C36	310	-	-	-	17-345
QC 39011	C37	210-212	-	776-4	B52	17-347
QC 39012	C37-03	210-213	-	776-6	B52E	17-348
QC 39013	C35	310-313	-	-	-	17-349
QC 39014	CP21	23902-210	630104	727	H2C	17-222
QC 39015	CP21-03	23902-310	630106	733	H2C-E	17-223
QC 39016	CP25-02	23903-210	640104	1839	H0E	17-256
QC 39017	CP25	23903-310	640106	1837	H2E	17-253
QC 39018	CP17	23904-410	650108	1857	H2F	17-251
QC 39019	CP20	23902-200	630204	728	H3C	17-232
QC 39020	CP20-23	23902-003	630206	732	H3C-E	17-233
QC 39021	CP26	23903-300	640206	1838	H3E	17-255
QC 39022	CP18	23904-400	650208	1858	H3F	17-252
QC 39023	C20	MSCF22-000	632004	715	B23	17-320
QC 39024	C20	MSCF22-000	632004	715	B23	17-322
QC 39025	C20-23	MSCF23-000	632006	718	B23E	17-323
QC 39026	C26-22	MSCF32-000	642004	1833	25C	17-324
QC 39027	C26	MSCF33-000	642006	1835	25	17-325
QC 39028	C10-23	MSCF44-000	652006	1813	17E	17-355
QC 39029	C10	-	652008	1815	17	17-356
QC 39030	C21	MSCM22-000	631004	716	B22	17-332
QC 39031	C21-03	MSCM23-000	631006	719	B22E	17-333
QC 39032	C25-02	-	641004	-	24C	17-334
QC 39033	C25	MSCM33-000	641006	1836	24	17-335
QC 39034	CP1	TFFM22-000	-	783	2C	17-224
QC 39035	CP7	-	-	1809	0E	17-225
QC 39036	CP5	-	-	1807	2E	17-226
QC 39037	CP2	TFFP22-000	-	784	3C	17-234
QC 39038	CP2-23	TFFP23-000	-	-	3C-E	17-235
QC 39039	CP6	-	-	1808	3E	17-236
QC 39040	C2	TFCF22-000	-	785	B13	17-326
QC 39041	C26-22	MSCF32-000	642004	1833	25C	17-327
QC 39042	C26	MSCF33-000	642006	1835	25	17-328
QC 39043	C1	TFCM22-000	-	786	B12	17-336
QC 39044	C25-02	-	641004	-	24C	17-337
QC 39045	C25	MSCM33-000	641006	1836	24	17-338

INTERCHANGE